



CLiC-iT
ADVENTURE & MOUNTAIN
CATALOGUE EDITION 2025

CLiC-iT ADVENTURE

INTERACTIVE CONTINUOUS BELAY SYSTEM



(c) Cape Fearless Extreme

CLiC-iT RIDER

CONTINUOUS BELAY SYSTEM WITH PULLEY



CLiC-iT EASY

CONTINUOUS BELAY SYSTEM WITH HOOK




C-ZiP

PULLEYS



C-BODY

INTEGRAL HARNESS



C-PASSACCESS

PREVENTS ENTERING THE COURSE WITHOUT BEING ATTACHED



RODEOSTOP

AUTOMATIC FALL ARREST DEVICE



BABO® BOLT

TREE ATTACHMENT SOLUTION



SUMMARY

P. 4 THE COMPANY

P. 10 CLiC-iT ADVENTURE

P. 14 CLiC'N'ZiP

P. 16 CLiC-iT RiDER

P. 19 CLiC-iT EASY

*CONTINUOUS
BELAY SYSTEMS*

P. 20 C-ZiP

PULLEYS

P. 25 C-BODY

HARNESS

P. 27 C-PASS ZiP

*ACCESS CONTROL
SYSTEMS*

P. 28 C-PASS ACCESS

P. 30 RODÉOSTOP®

FALL ARREST SOLUTION

P. 32 BABO® BOLT

*TREE-ATTACHMENT
SOLUTION*

P. 36 INDIVIDUAL
EQUIPMENTS

P. 40 PARK
EQUIPMENTS

ACCESSORIES



Please read the users manuals very carefully to choose available options and use the products correctly

Images are non contractual

HISTORY



A French invention



«While on an adventure course, trying to help a child who was stuck, I found myself in a dangerous situation. Then I imagined my children completely detached from the safety cable, 25 meters up in a tree... I started spending all my evenings and weekends looking for a solution to this problem! »

CLiC-iT® is a revolutionary solution that has given rise to a complete line of products made to serve different needs in the fields of recreation, construction, and industry.

*Thierry Dehondt
CEO*

OUR COMMITMENT

Peace of mind

We are dedicated to providing peace of mind, total freedom and maximum efficiency to those who have activities at heights.

To do this, we want to give you the best:
safety, highest longevity, easy of use & customer service.

CLiC-iT proposed innovative, simple and reliable solutions to ensure continuous safety for the user throughout the adventure, a real guarantee of peace of mind for the adventure park manager.

OUR EXPERTISE

Innovation & quality

Our team develops innovative, patented products that meet the various safety needs identified in the field. In order to meet your expectations, all our concepts are tested on site to ensure their relevance and efficiency.

CLiC-iT guarantees robust, high quality materials for a long life and increased resistance of the products. CLiC-iT is also a team that is always ready to listen to you for a better service.



CLiC-iT PRESENCE IN THE WORLD



C-PASS ZIP

System that prevents collisions on ziplines



C-ZIP

Range of pulleys for ziplines



RODEOSTOP®

Automatic fall arrest device with energy absorber



BABO® BOLT

Tree attachment solution



CLiC-iT RiDER

Continuous belay system with pulley






The most complete range of solutions for adventure parks

C-BODY

Full-body harness



CLiC-iT

Communicating, dual-leg lanyard



XAVAGE MEXICO



FLAGSTAFF EXTREME, FLORIDA



MAGIC JUNGLE, SHANGHAI



LE POISSON VOLANT - FRANCE



VIA FERRATA
IN TERRA CORSA - FRANCE

CONTINUOUS BELAY SYSTEMS



Three solutions for all your needs

INTERACTIVE

The most ergonomic and robust solutions

✓ Zero modification of existing safety line

● CLiC-iT ADVENTURE



FROM
4
YEARS
OLD

A PARTIR DE

A

● CLiC'N'ZiP



ALL IN ONE



FROM
9
YEARS
OLD

A PARTIR DE

DE

WITH PULLEY

CLiC-iT RiDER

The smoothest solution



- ✓ Easy to install
- ✓ Closed anchor
- ✓ Balanced pulley
- ✓ Easy to remove from cable

FROM
3
YEARS
OLD

A PARTIR DE

FROM
6
YEARS
OLD

A PARTIR DE

ALL IN ONE



WITH HOOK

CLiC-iT EASY

The simplest solution



- ✓ Zero moving parts
- ✓ Economical
- ✓ Easy to use

FROM
4
YEARS
OLD

A PARTIR DE




CLiC-iT ADVENTURE

The most simple, robust and economical continuous interactive belay system

What is it ?


1 Interconnection

**OPENING ONE CONNECTOR
AUTOMATICALLY LOCKS THE OTHER ONE**




2 Connection

Thanks to its anchorage detection, the CLiC-iT can only be connected on the safety line or on the C-ZAM rings. It prevents the user from connecting in the wrong place.



3 Disconnection

Disconnection of the CLiC-iT is possible only if the trigger is pressed.



The **3** safety mechanisms of CLiC-iT

Les longues CLiC-iT disposent de trois mécanismes de sécurité indépendants qui garantissent une protection maximale à l'utilisateur à chaque étape du parcours.

Ces mécanismes simples et intelligents ont permis au CLiC-iT d'être récompensé par le prix du "Product Winner" dans la catégorie "Innovation" aux IAPA AWARD 2016.



The **design** of CLiC-iT

The design of CLiC-iT has been awarded the 2018 label of the Observateur du Design, the most important French design award.



CLiC-iT ADVANTAGES

OPENING ONE CONNECTOR AUTOMATICALLY
LOCKS THE OTHER ONE



+ EASY TO USE

- From the age of 4
- With one hand
- One single manipulation to unlock one of the 2 carabiners

+ SAFE

- D safety level
(Compliance with EN17109)
- 3 independant safety mechanisms

+ RELIABLE, DURABLE & ECONOMICAL

- High-grade materials paired with a simple mechanism
- Bowden cables are always pulled (*not pushed*)
- Few mobile parts, exceptionally durable & easy to repair
- Easy inspection and maintenance on site
- Second generation CLiC-iT in operation since 2017
- 4 years warranty (*Europe*)



C-ZAM L+

Ensures that participant only connects on the safety line



Choose the right CLiC-iT for you

CLiC-iT ADVENTURE ROPE COURSE PARK

CONNECTION TO THE HARNESS



(Choose)



C-8 SWIVEL




C-8+ OPENABLE SWIVEL



Anodization
option

Anti-corrosion
coating

CLiC-iT MOUNTAIN VIA FERRATA



WITH ENERGY ABSORBER



CLiC'N'ZiP WITH INTEGRATED PULLEY



SEE FOLLOWING PAGES

REFERENCE	A	L ¹	L ²
A4 <i>(recommended for kids)</i>	110cm	63cm	73cm
A6 <i>(recommended for adults)</i>	150cm	76cm	99cm
M8 <i>(Via Ferrata)</i>	110cm	110cm	110cm

ANCHOR DETECTION
(Choose)


Version	 Steel cable	 C-ZAM L+ ring
1	✓	✓
2	✗	✓



CLiC'N'ZiP

Continuous interactive belay system with integrated pulley

- ✓ No more need for a third lanyard for the pulley
- ✓ Simplified briefing
- ✓ Simplified rescue for the operator on the ground
- ✓ From 9 years old




MATERIALS

- Forged aluminium housing
- Copper-aluminium alloy mechanism
- High-strength PA grip handles reinforced with glassfibre
- Dyneema®/Spectra® sling



TOTAL WEIGHT

1.5kg

Zipline maximum length:



CLIC'N'ZIP CONNECTOR: A REAL PULLEY



REFERENCE	A	L ¹	L ²
A4x25 ZiP	110cm	63cm	73cm
AJx25 ZiP	130cm	66cm	89cm
A6x25 ZiP	150cm	76cm	99cm

CLiC-iT RiDER

The simplest and smoothest PPE solution

- ✓ Simple: the user has nothing to manipulate
- ✓ A single PPE for challenges and ziplines
- ✓ Intuitive: reduced briefing
- ✓ Ergonomic and easy to use: from 3 years old
- ✓ Quiet
- ✓ Low maintenance

Smooth progression on cable

Stability

The center mass of the pulley prevents it from turning on the cable and shocks on the anchors



Easy & quick rescue

Magnetic locking system
Impossible to open the pulley when a carabiner is connected

Wear indicator



Nylon wheels
Reduces noise, weight and cable wear



Zipline maximum length:



MODEL	REFERENCE	WEIGHT
CLiC-iT RiDER	DAS436	534g



EASY INSTALLATION



Positioner
To ensure a smooth pulley trajectory

For $\varnothing 12\text{mm}$ steel cable
Type 6x19 with full steel core

Closed anchor
No need to crimp the cable
Easy adjustment and control of the cable
Will not slip with time



COMPATIBILITY



CLIC-iT thanks to
C-ZAM RiDER

Page 43



Equipment carrier
C-HOLDER

Page 40

POSSIBLE ASSEMBLIES



With
SLINGS



With
BABO BOLT



On
CABLES



CLIC-IT RIDER



CLIC-IT EASY

The simplest hooked continuous belay system

This is the Hirondo system, in partnership with Pornic Aventure, in service since 2017 and already used by 200,000 users.

- ✓ Zero moving parts: economical and reliable
- ✓ Forged aluminium: light and robust
- ✓ Easy to use: from 4 years old

Opening (patented)
allows a smooth passage
on the plates



Resistant to rust
All our plates are made
of stainless steel

For safety line cable
Ø 12mm and Ø12,7mm



QUICK AND EASY
INSTALLATION

N
E
W



Bifurcation cross (patented)
Obstacle bypass and
evacuation possible



MODEL	REFERENCE	WEIGHT
CLiC-iT EASY	DAS670	200g



The **range** of C-ZiP pulleys

Robust and light, our pulleys are made in forged aluminium and limit the risk of pinching fingers.

Discover our C-ZiP pulleys, all compatible with the C-HOLDER to equip your ziplines. They are designed to make guidance easier and with interchangeable wheels and bearings. Very easy and intuitive setup and removal on the cable.

For long ziplines.



C-ZIP LOCK XTREM



C-ZIP XTREM

The right pulley for your needs



C-ZiP AIR
LIGHT ET SILENT



C-ZiP SPEED
INTUITIVE ET PERFORMING



C-ZiP XTREM
WITH CONNECTOR HOLDERS



C-ZiP LOCK SPEED
PPE PULLEY

Lockable



C-ZiP LOCK XTREM
PPE PULLEY WITH CONNECTOR HOLDERS



ANODISATION OPTION
For moist & saline environments

Anti-corrosion coating



COMPATIBILITY





Climbing sling C-0 et Sewn sling C-1 (p.36)
Equipment-carrier C-HOLDER/C-TWO (p.39-40)



C-ZIP AIR // C-ZIP SPEED

EASY TO USE

- ✓ Forged in two parts



+ option (for SPEED)
Two bearings by wheel


MODEL	WHEELS	ZIPLINE MAXI LENGTH	COMPATIBILITY
 <p>C-ZIP AIR + C-0 REFERENCE DAS185N-L* 465g</p>	 Nylon		
 <p>C-ZIP SPEED + C-0 REFERENCE DAS185-L* 530g</p>	 Steel		

* L = length of C-0 sling (centimeter)
Example: DAS185N-45 for C-ZIP AIR with a 45 centimeters C-0 sling

* 300m max with **+** option








C-ZiP XTREM



NO MORE FRICTION OF THE CONNECTORS ON THE CABLE

- ✓ Two bearings by wheel
- ✓ One block forged pulley



MODEL	WHEELS	ZIPLINE MAXI LENGTH	COMPATIBILITY
 <p>C-ZiP XTREM + C-0 REFERENCE DAS180-L* 407g</p>	 Steel	 400m	



* L = length of C-0 sling (centimeter) // Example: DAS180-45 for a 45 centimeters C-0 sling











C-ZIP LOCK SPEED // XTREM

PULLEY LOCKABLE ON THE CABLE

- ✓ Personal protective equipment
- ✓ Two bearings by wheel



MODEL	WHEELS	ZIPLINE MAXI LENGTH	COMPATIBILITY
 <p>C-ZIP LOCK SPEED REFERENCE DAS368S 480g</p>	 Steel		
 <p>C-ZIP LOCK XTREM REFERENCE DAS368X 490g</p>	 Steel		



Easy-to-adjust and release full-body harness


Low front attachment point according to EN12277 Typ A: 2015 + A1:2018

+ ERGONOMIC

- ✓ Adapted for most body types: 2 sizes available

+ LONG TERM OPERATION

- ✓ Fewer components, no padding
- ✓ Corrosion resistant
- ✓ Easy to clean
- ✓ 10 years lifetime
- ✓ 2 years warranty
- ✓ Protective fabric pouch for traceability label



MODEL	REFERENCE
C-BODY Large	DAS650
C-BODY Small	DAS651

COLOR Black/Grey

WEIGHT 1100g (±15g)

SIZE LARGE (S to XL) & SMALL (40kg minimum)

IKKO

The universal sit harness



- ✓ Suitable for sizes 8 y.o to XXL
- ✓ Brand CILAO

MODEL	REFERENCE
IKKO	IKK00AUT1



C-PASS ZIP




C-BODY




A safe and effective solution to prevent collisions on ziplines

- ✓ Block zipline access if someone is already engaged
- ✓ 100% automatic and mechanical lock for guaranteed reliability
- ✓ Implantable on any type of environment
- ✓ Does not require any modification of your PPE
- ✓ **Autonomous energy** (standard rechargeable battery, 1 month of autonomy and rechargeable overnight)



Green indicator that turns red if a person is already engaged on the zipline

« RF » type communication system



MODEL



C-PASS ZIP INTERACTIVE CONTINUOUS BELAY SYSTEM

REF:
DAS501



OPTION (compatible with all models)



C-PASS ZIP STRUCTURAL CONTINUOUS BELAY SYSTEM

REF:
DAS500
DAS502



C-PiLOT


C-PASS ZIP REMOTE CONTROL
REFERENCE: DAS503



C-PASS ACCESS

Prevents entering the course if the customer is not attached to the safety line

- ✓ 100% automatic and mechanical lock for optimum liability
- ✓ Easy to install and to use
- ✓ Does not require any modification of your PPE



MODEL

REFERENCE

COMPATIBILITY

C-PASS ACCESS pour CLiC-iT 25

DAS510-1000-25



C-PASS ACCESS pour CLiC-iT 21

DAS510-1000-21




RODEOSTOP®



C-ZIP LOCK XTREM

RODEOSTOP® + KIT A1

The safest and most reliable automatic fall arrest device



RODEOSTOP

AUTOMATIC FALL ARREST DEVICE WITH ENERGY ABSORBER



✓ Its pulley actuates the instantaneous blockage in the 2 directions in case of fall («back-and-forth operation»)

✓ If dropped, the device is equipped with a shock absorber to stop the user gently

✓ Using up to 35 meters depending on the length of rope

✓ Recommended rope: Semi-static Ø 10,5mm


✓ Great maneuverability (compact, lightweight ≈1kg)

✓ Maintenance is reduced to send for review each year (does not required lubrication)

✓ Norm EN360/2002 A.R.A.

Can also be fitted with a counterweight

Make sure the counterweight always holds the rope taut when the user's ascent



KIT A1

PULLEY WITH SANDOW & ADJUSTING HOOK ON THE ROPE TENSION CHAIN


✓ Allows continuous and safe use because it limits the height of fall (no slack on the rope)



✓ A good adjustment of the tension of the vertical line with the hook on the chain down, makes the operation of the system very soft


MODÈLE	RÉFÉRENCE
RODEOSTOP	B100
KIT A1	K-A1



C-UP + C-ABS**VERTICAL ANCHOR POINT**

C-ZAM L+ ring
(to be ordered separately)

Steel cable
Ø 10mm - Ø 12mm

**C-UP****MAGNETIC VERTICAL POINT**

- ✓ Facilitates progression
- ✓ Avoid twisting lanyards to connect
- ✓ No height limit
- ✓ No maintenance

C-ABS**SHOCK ABSORBER**

- ✓ Absorbs shock in the event of a fall
- ✓ Compliant with EN355:2002
- ✓ Check regularly and replace every year

MODEL	REFERENCE	COMPATIBILITY
C-UP	DAS193	
C-ABS	DAS192	




BABO® BOLT

The patented* nature-friendly all-in-one tree-attachment solution

+ DURABLE AND RESISTANT

100% stainless steel
Machined in one piece



+ COMPACT

Ø21mm drilling
and M20 stainless
steel insert

+ EASY MAINTENANCE

The end of the BABO BOLT protrudes sufficiently beyond the tree to allow it to grow without the need for maintenance.

✓ NATURE ADAPTED

Each model is designed for a specific species to ensure optimal health

✓ SIMPLE AND FAST

Installation in only a few minute



In service since 2017 and validated by an expert, Andreas Detter from Tree Consult Brudi & Partner, this solution was developed by

plobabo
Holzwerk Brudi & Partner

Made in
Germany



NEW



BABO® BOLT

✓ ALL-IN-ONE

Both models can be used for platforms, lifelines and elements

⊕ For trees from Ø25cm upwards (only for BABO BOLT hardwood)

⊕ Drilling depth from 100mm only



Platform*




Safety line**




Elements

Softwood



Hardwood



MODEL

REFERENCE

BABO BOLT for softwood

MBUA50NH160_2.0

BABO BOLT for hardwood


MBUA50_2.0



BABY BOLT

+ OPTIMIZED DRILLING AND MINIMUM TOOLS

*Drilling Ø4mm
and depth 40mm*



+ DURABLE & RESISTANT

100% Stainless steel

+ COMPACT

*For cables Ø10mm
and Ø12mm*

✓ PROTECTS THE TREE

Prevents the safety system from rubbing against the bark of the tree

✓ BACK-UP / REDUNDANCY

Safety line rope

✓ SPREAD - HOLD - STIFFEN

The intermediate safety line rope

+ Quick installation: just 2 minutes, no additional hardware required

+ Compatible with all our security systems



**C-ZAM CLiC-iT
ring**



**CLiC-iT RiDER
positioner**



**CLiC-iT EASY
positioner**

MODEL

BABY BOLT Ø10mm

BABY BOLT Ø12mm

REFERENCE

SK10SSGK

DAS705



BABO JIG

PLATFORM DRILLING JIG

+ Time-saving


+ Can be installed by a single technician



- ✓ **ASSURED CENTERING AND LEVELLING**
fast, precise adjustment
- ✓ **EASY TO WORK AT HEIGHT**
lightweight, robust and easy to use
- ✓ **INSTALL BABO BOLT BEFORE**
mounting the planks and logs



TWO MODELS



20mm

3 arms



4 arms



Supplied with
protective case

- ✓ **ADJUSTABLE**
adapts perfectly to the size
of logs from Ø10cm to 14cm
thanks to the shims included
with each jig



MODEL

REFERENCE

Drilling jig platform 3 arms

BVRPP10003A

Drilling jig platform 4 arms

BVRPP10004A



INDIVIDUALS EQUIPMENTS

C-8+ openable swivel Quick Link

Allow to attach the CLiC-iT to the harness



C8+ QUICK LINK

C-HOLDER & C-TWO

Equipment carrier allowing to hold the CLiC-iT equipment




C-HOLDER C-TWO

C-0 // C-1 slings

Allow to attach C-Zip, CLiC'N'ZiP & CLiC-iT to the harness



C-0 C-1



SLINGS

ENABLES THE CLIC-IT SYSTEM TO REACH THE HEIGHT OF THE SAFETY CABLE

Conforme à la réglementation :
EN 566: 2006, 22kN

ANNEAU DE MONTAGNE C-0



ÉLINGUE C-1




SWIVELS

ALLOW FREE ROTATION PREVENTS THE LANYARD FROM TWISTING


C-8 Swivel

CE 24kN



C-8+ Openable swivel


CE 25kN



QUICK LINK

MATERIAL
Stainless steel

CE 45kN



MODEL	REFERENCE	AVAILABLE LENGTHS	FUNCTIONAL HEIGHT	OPENING	WEIGHT
SLING C-0	DAS060-L*	20cm - 27cm 35cm - 45cm			
SLING C-1	DAS060EL-CIL-L*	55cm - 70cm 90cm - 110cm			
C-8	DAS070		52mm	/	90g
C-8+	DAS132		57mm	13mm	115g
QUICK LINK	MRNI07.0		51mm	8.5mm	52g

*L = Length of mounting ring or sling (cm)
Example: DAS060EL-CIL-55 for a 55cm C-1 sling



C-8+





C-TWO

OTHER ACCESSORIES

C-HOLDER

C-ZIP, RIDER AND CLIC'N'ZIP EQUIPMENT CARRIER

- ✓ Pulley is easy to place on the harness & to remove from it
- ✓ Easy to fix on any harness
- ✓ Limits the risk of the pulley being caught
- ✓ Prevents the pulley from remaining attached to the equipment-carrier during a zipline



C-TWO EQUIPMENT CARRIER

- ✓ Allows to hold the connectors or the C-Zip pulley on the side of the harness between the courses
- ✓ Adapts to all types of harness
- ✓ Avoid to drag the connectors on the ground
- ✓ Easy fastening on the harness



MODEL	REFERENCE	COMPATIBILITY
C-TWO	DAS046	
C-HOLDER	DAS355	

• Position of the C-HOLDER on the pulley

— The use of the C-HOLDER on C-Zip XTREM pulley or CLIC'N'Zip lanyard you already have (previous models) requires that you return it to the workshop for modification to ensure optimal compatibility



PARK EQUIPMENTS

MONKEY HARDWARE

Climbing hold



C-CONNECT

Allow the hanging of the CLiC-iT connectors onto non-ferromagnetic parts of the course



C-STOP

Non-return mechanical stop allowing the stop during a fall



BRIEFING SIGNS



C-ZAM RINGS

Magnetic rings allowing the anchor detection of the CLiC-iT connectors



C-RACK

Storage rack for lanyards




C-OFF

Course way out allowing to remove the both connectors




C-ZAM L+

MAGNETIC RINGS FOR CLIC-IT CONNECTOR ANCHOR DETECTION



Even easier anchor detection,
with an optimized connection zone



Available in 5 colors:



IN +

C-ZAM RESCUE RESCUE RING





- ✓ Always have a C-ZAM ring on hand for rescues
- ✓ Clings to the belt, harness or keychain




C-ZAM RiDER

MAGNETIC RINGS ALLOWING THE ANCHOR DETECTION OF THE CLIC-IT CONNECTORS COMPATIBLE WITH THE CLIC-IT RiDER

- ✓ Allows the use of the CLIC-IT and the CLIC-IT RiDER on the same route
--> Adults can accompany kid(s) without changing their own equipment
- ✓ The participant can go to the right or to the left of the ring a once connected

Available in 5 colors



MODEL	REFERENCE	COMPATIBILITY
C-ZAM L+	DAS148C*	
C-ZAM RiDER	DAS451C*	
C-ZAM RESCUE	DAS194	

*C = Color B = Blue; V = Green; N = Black; J = Yellow; R = Red // Example: DAS148-V for a green C-ZAM L+ Ring



C-CONNECT

ANCHOR POINTS

Enable the hanging of the CLiC-iT connectors onto non-ferromagnetic parts of the course
(with C-ZAM L+ ring for 25 and CLiC'N'ZiP models - order separately)



C-CONNECT 25

- ✓ Made of cataphoresis steel wire Ø12
- ✓ Simplified briefing. The user connects only to the C-ZAM L+ rings
- ✓ Once the first CLiC-iT connector is attached, it slides naturally to make the ring accessible to the second connector

CE 25kN



C-CONNECT CLiC'N'ZiP

- ✓ Made of cataphoresis steel wire Ø12

15 kN



C-CONNECT V2 & V2+


- ✓ In forged aluminium
- ✓ Ideal for «Tarzan jump» type workshops and fall arrest systems

CE 20 kN

C-CONNECT V2 C-CONNECT V2+

MODEL	REFERENCE	WEIGHT	COMPATIBILITY
C-CONNECT 25	DAS346	490g (without ring)	
C-CONNECT CLiC'N'ZiP	DAS184	450g (without ring)	
C-CONNECT V2	DAS170	135g	
C-CONNECT V2+	DAS175	140g	

C-ZAM L+ RING



C-CONNECT V2

OTHER COURSE ELEMENTS


C-OFF COURSE WAY OUT

- ✓ Allows the removal of the connectors from the safety cable at the entrance and at the exit of a course
- ✓ This accessory must be positioned on the safety cable only at ground level



C-STOP NON-RETURN MECHANICAL STOP

- ✓ Allows the use of CLiC-iT connectors on sloping courses, while acting as a stop during the fall
- ✓ To be installed on a sloping course with a maximum angle of 35°



MODEL	REFERENCE	COMPATIBILITY
C-OFF	DAS044	
C-STOP	DAS075	



MONKEY HARDWARE®



«MONKEY» STAND & «CAMP» HOLD


Climbing hold easy to attach
on trees and to carry

- ✓ Hand and foot hold
- ✓ Climbing height: about 11 meters
- ✓ Suitable for children and beginners
- ✓ Weatherproof
- ✓ Certificated DIN EN 12572-3 & EN 1176.1

RATCHET STRAP

Steel ratchet attachment strap with
integrated locking system

- ✓ Evolutionary tightening of the straps to respect the growth of the support shaft
- ✓ Easy fixing and settings
- ✓ Optimum security
- ✓ UV resistant and allowing a lasting use on trees
- ✓ Certificated DIN EN 9001:2000, ISO/TS 16949/2002



PACK «CAMP»

- ✓ 27x 3,2m ratchet straps
- ✓ 27x « Monkey » stands
- ✓ 25x Yellow Camp hold
- ✓ 25x M10 threaded screw
- ✓ 1x 6mm Allen key
- ✓ 1x carry bag



EXTENSION PACK «MAXICAMP»

- ✓ 27x « Monkey » stands
- ✓ 25x MaxiCamp hold
- ✓ 25x M10 threaded screw
- ✓ 1x 6mm Allen key
- ✓ 1x carry bag



MODEL

REFERENCE

«CAMP» PACK

1410322-J

«MAXICAMP» PACK

1411000-O



C-RACK

STORAGE RACK FOR LANYARDS



OPTION

Inflated wheels
For unstable ground

- ✓ Allows the storage of 80 CLiC-iT lanyards and preserves the lanyards control cables
- ✓ 100% stainless steel



Lanyard storage



MODEL	REFERENCE	COMPATIBILITY
C-RACK	DAS280	
C-RACK + Option	DAS287	



BRIEFING SIGNS

PACK OF SIGNS FOR BRIEFING

✓ Series of 8 multilingual briefing signs explaining the operation of the CLiC-iT ADVENTURE hardware (model 25)



MATERIAL


Dibond aluminium

Corrosion, UV and impact resistant


DAS432-1LG*
« Presentation of CLiC-iT »




DAS432-2
« Forbidden maneuvers »




DAS432-3
« Fix a connector »




DAS432-4
« Starting on a route »



DAS432-5
« Removing a connector »



DAS432-6
« Leaving a route »



DAS432-7
« Connect on C-CONNECT »



DAS432-8
« How to use a C-ZIP XTREM pulley »



DAS432-9
« How to use a pulley »



OR

MODEL

REFERENCE

COMPATIBILITY

PACK OF SIGNS - C-ZIP XTREM

DAS430-LG*

PACK OF SIGNS - OTHER PULLEYS

DAS431-LG*



INDIVIDUAL SIGN

DAS432-N**

*LG = Desired language (FR/EN/DE/ES/IT)

**N = Sign number




CLiC-it® PRO 60

P.P.E. FOR CONTINUOUS PROTECTION

SUITABLE FOR:

- ✓ Scaffolding
- ✓ Ladders/Masts
- ✓ Anchor points
- ✓ Cables
- ✓ Straps/Ropes
- ✓ Pylons/Angle beams



DISCOVER ALSO



C-RACK OZON

DISINFECTION CABINET WITH OZONE GAS

Simple, efficient and quick solution to disinfect all types of equipment. Allows the disinfection of all materials, toolings, equipments. Safe for the equipment and the operator. The ozone generator diffuses a gas inside the cabinet at the recommended threshold for a complete and perfect disinfection.

- **AUTOMATIC:** Just press a button to start the disinfection process automatically and to safety lock the system
- **FAST:** Allows the disinfection of material, tooling and equipment with no drying required
- **IMMEDIATE USE:** Ozone is drawn from ambient air and fed back in the cabinet without any other intake



OUR OFFICES



THE WORKSHOP



CONTACT US



CLiC-iT - SARL DEHONDT
5 rue des Terres (Cellule 7)
51420 CERNAY-LÈS-REIMS
FRANCE



+33 3 26 47 11 34



contact@clic-it.eu

www.clic-it.eu



**CLiC-iT wishes you a fun
and safe season!**



www.clic-it.eu

